

The Codewriting Workbook

Creating Computational Architecture in AutoLISP

By Robert J. Krawczyk
Princeton Architectural Press, 2008
New York

Contents

Foreword

William J. Mitchell

1.0 Introduction

- 1.1 Why use a procedure to create a drawing or model?
- 1.2 What are the limitations to using a procedure?
- 1.3 What is the best way to approach the exercises in this workbook?
- 1.4 Why use Autodesk's CAD Programming environment?
- 1.5 Who is this workbook written for?
- 1.6 What does the Codewriting Workbook cover?

2.0 Operations and Expressions

- 2.1 Addition
- 2.2 Subtraction
- 2.3 Multiplication
- 2.4 Division
- 2.5 Increment and Decrement
- 2.6 Assign a Variable a Value
- 2.7 Division and the Remainder Function
- 2.8 Absolute and Square Root Functions
- 2.9 Powers and Roots
- 2.10 Expressions
- 2.11 Translating Expressions
- 2.12 Degrees, Radians, and Trigonometric Functions
- 2.13 String Functions
- 2.14 List Functions
- 2.15 Coordinate List, Polar, Distance, and Angle Functions

3.0 Input, Output, and Defining Functions

- 3.1 Getting Points and Drawing Lines
- 3.2 Defining a Function
- 3.3 Drawing a Triangle
- 3.2: Drawing a triangle
- 3.4 Drawing a Rectangle
- 3.3: Draw a rectangle by computing two corners points
- 3.5 Getting numeric values
- 3.6 Displaying Numeric Values
- 3.7 Drawing a Rectangle by Dimensions
- 3.5: Structural sections
- 3.6: I-beam sections
- 3.8 Drawing Structural Sections
- 3.8: Extrude a section to a height
- 3.9 Draw a Nested Triangle
- 3.9: A nested triangle
- 3.10 Draw a Circle Based on Area
- 3.11 Draw a circle based on area
- 3.11 Draw a Pentagon
- 3.12 Drawing pentagons
- 3.12 Draw a Rounded Rectangle
- 3.13: A rounded rectangle
- 3.13 Draw a Shape Using a Solid
- 3.14 Function for a circular tube
- 3.15 A quatrefoil, before and after subtraction
- 3.17: A cross-shaped opening in an elliptical plate
- 3.18: Subtract from a plate thickness
- 3.19: Add to the plate thickness
- 3.14 Draw a Shape Using Blocks
- 3.15 Functions as Shapes
- 3.21 A three-dimensional ring trefoil

3.16 Converting Numeric and String Values

4.0 Decisions and Repetition

- 4.1 Making Decisions
- 4.2 Repetition When the Number of Repeats Is Known
- 4.3 Repetition Based on the Evaluation of an Expression
- 4.4 Repetition Determined Within the Body of a Loop by Value
- 4.5 Repetition Determined Within the Body of a Loop by Input
- 4.6 Nested Loops
- 4.7 Draw a Set of Nested Rectangles
 - PROG01, nested rectangle parameters
 - PROG01, nested rectangle variations
 - PROG01a, nested rectangles, bases of four points
- 4.8 Draw a Radial Spiral
 - PROG02, radial lines starting at 0 degrees; PROG02a, starting at one-increment degrees
 - PROG02b, increasing and decreasing radial lines
 - PROG02c, two sets of increasing and decreasing radial lines
 - PROG02d, spiral connecting end points, 8 line segments and 32 line segments
 - PROG02f, spiral radial lines to edge
 - PROG02g, spiral radial lines at full radius length
 - PROG02h, 3-D spiral of radial lines
 - PROG02i, 3D spiral ramp as a mesh, wireframe, and hidden line views
 - PROG02j, 3-D spiral ramp converted to steps
 - PROG02k, 3-D spiral steps as polylines and extruded polylines
 - PROG02l, 3-D spiral of two revolutions, isometric and plan views
 - PROG02m, 3-D spiral steps with multiple revolutions
- 4.9. Draw a Linear Series of Objects
 - PROG03, simple repetition of a circle
 - PROG03a, repetition with increasing circle radius
 - PROG03b, repetition with increasing and decreasing circle radius, 12 and 13 repeats
 - PROG03c, repetition with increasing and decreasing circle radius, 13 repeats revised
 - PROG03d, repetition with increasing and decreasing rectangle dimensions
 - PROG03e, repetition with increasing and decreasing rectangle height
 - PROG03f, repetition with increasing and decreasing rectangle rotation, even and odd number of repeats
 - PROG03g, vertical repetition of a rotated rectangle, isometric and plan view
 - PROG03h, vertical repetition of a rotated ellipse, isometric and plan view
- 4.10 Draw a Rectangular Array of Objects
 - PROG04, array of increasing height cylinders, to one edge
 - PROG04a, array of increasing height cylinders, to center
 - PROG04b, array of increasing radius circular rings
 - PROG04c, array of decreasing radius and height circular rings
 - PROG04d, array of increasing heights as a mesh, isometric and front view
 - PROG04e, array of mathematically computed heights as a mesh
 - PROG04f, mesh heights based on $\sin(x)+\sin(y)$
 - PROG04f, mesh heights based on $\sin(x)+\cos(y)$
 - PROG04f, mesh heights based on $\sin(x)-\cos(y)$
 - PROG04f, mesh heights based on $\sin(x)\cos(y)$
 - PROG04g, mesh heights based on $(\text{abs}(\sin(\text{dtr xang})))$
 - PROG04h, array of rectangles at heights based on a mathematical curve
- 4.11 Draw a Circular Array of Objects
 - PROG05, repeated and rotated square 8 and 12 times, rectangle 12 times
 - DRWG05_01, overlay three sets of rotated squares
 - PROG05b, 6-sided polygon, rotated 6 and 12 times
 - DRWG05_02, 03, and 04, examples of overlaid rotated polygons
 - DRWG06_01, overlaid rotated polygons with edge thickness
 - DRWG06_02, overlaid rotated polygons with edge thickness
 - DRWG06_03 and 04, overlaid rotated polygons with edge thickness and extruded height
 - PROG06a, polygon with origin at start of bottom edge
 - PROG06b, polygon with origin at midpoint of bottom edge
 - PROG06c, polygon with origin at center
 - DRWG06_05, example of PROG06b, overlaid rotated polygons
 - DRWG06_06, example of PROG06c, overlaid rotated polygons
 - PROG06d, polygon with offset from start of bottom edge
 - PROG06e, polygon with offset from midpoint of bottom edge
 - PROG06f, polygon with offset from center
 - DRWG-06_07, example of PROG06d, overlaid rotated polygons
 - DRWG-06_08, example of PROG06e, overlaid rotated polygons
 - DRWG-06_09, example of PROG06f, overlaid rotated polygons
 - DOLPOLYGON, line polygon examples

DRWG07_01, example of PROG07a with the line polygon
 DOAIPOLYGON, concave arc polygon examples
 DRWG08_01, example of PROG08a with the concave arc polygon
 DOAOPOLYGON, convex arc polygon examples
 DRWG09_01, example of PROG09a with the convex arc polygon
 DRWG10_01, example of PROG10a, repeating rotated circles
 DRWG10_02, example of PROG10a, repeating rotated circles with center offset
 DRWG11_01, example of PROG11f, repeating rotated ellipses with center offset
 DRWG11_02, example of PROG11f, repeating rotated ellipses with no offset
 DOEPOLYGON examples
 DRWG12_01, example of PROG12f, repeating rotated elliptical polygon
 DRWG13_01 using PROG13f, repeating rotated circle with increasing radius
 DRWG14_01 using PROG14f, repeating rotated circle with increasing offset
 DRWG15_01 using PROG15f, repeating rotated trefoil

5.0 Generating Simple Forms

5.1 Generating a Simple Linear Form

PROG01, draw a series of lines
 PROG02, convert lines to planes
 PROG03, vary length of each plane by the sine function
 PROG04, vary length of each plane by the cosine function
 PROG05, vary length of each plane by the absolute value of the cosine function
 PROG06, keep a portion of the line length
 PROG07, for 2.0 and 0.5 curve cycles
 PROG08, vary the height of each plane
 PROG09, mirror the planes
 PROG10, vary height differently from edge
 PROG11, switch functions on length and height
 PROG12, convert planes to a frame
 PROG12, relationship of plane points to frame points
 PROG13, add center point to top of frame
 PROG14, separate midpoint frame height
 PROG15, modify column base location to edge
 PROG15a, modify column top location to edge
 PROG16, convert frame to a surface
 PROG17, close the bottom and ends of the mesh
 PROG18, horizontal offset to the midpoint height
 Other curves
 Variations of the sine function
 Variations of the cosine function
 DOCURVE example
 PROG18a, parameter description included as text
 PROG19, converting to a vertical linear form
 PROG20, additional points for symmetry
 PROG20, converting to a vertical symmetrical linear form

5.2 Generating a Form on a Circular Path

PROG01, circle parameters
 PROG01, example of simple circular disc
 PROG01, example of a simple polygonal disc
 PROG02, convert circular disc to a ring
 PROG03, convert circular form to elliptical
 PROG04, variations of inside and outside heights
 PROG05, circular form swept less than 360 degrees
 PROG06, variations of height using a mathematical function

5.3 Developing a Function to Test Curves

Other curves to explore
 Circular Curve
 Lamé Curve as a Superellipse
 Curve of Watt
 Epicycloid Curve, 1 cusp, a Cardoid
 Epicycloid Curve, 2 cusps, a Nephroid
 Epicycloid Curve, 3 cusps
 Epicycloid Curve, 4 cusps
 Hypocycloid Curve, 3 cusps
 Hypocycloid Curve, 4 cusps
 Lips Curve
 Bicorn Curve
 Piriform Curve
 Eight Curve

- Lemniscate of Bernoulli Curve
- Cranioid Curve
- Curve of Convexities, 3 pedals
- Curve of Convexities, 4 pedals
- Hippopede Curve
- Geometric Pedal B
- Geometric Pedal C
- PROG08, Lips Curve with 64 and 8 segments
- PROG08, Lips Curve, from the outside, 3rd, 5th, 7th, and 13th powers
- 5.4 Generating a Form Along a Vertical Path
 - PROG01, polygon section of 4 and 5 sides
 - PROG02, top and bottom surfaces added
 - PROG03, tapered polygon shaped floors, 4 and 32 sides
 - PROG04, rotated floors, 90, 180 and 270 degrees
 - PROG05, offset floors, x and y offsets
 - PROG06, elliptical floors, 4, 8, and 32 sides
 - PROG07, elliptical section transformations
 - PROG08, vary the section radius by a mathematical function
 - PROG09, vary the section radius of selected points
 - PROG10a and PROG10b, Cardioid and Geometric Pedal B Curve sections
 - PROG10c, Hippopede Curve changing radius and rotation
 - PROG10d, Curve of Convexities, 3 and 4 pedals
 - PROG11a, partial polygon sections
 - PROG11b, include partial polygons, front and rear views
 - PROG12, section based on a list of points
 - PROG13, morph a square to a triangle section, with rotation
 - PROG14, floor plates as POLYLINES and REGIONS
 - PROG15, setbacks with multiple sections combined

6.0 Random Constructions

- 6.1 Random Relief Patterns from Basic Shapes
 - PROG01, grid of squares
 - PROG02, repeated squares with random heights
 - PROG03, repeated circles inside the grid
 - PROG03, repeated circles extending outside the grid
 - PROG04, repeated polygon, trimmed to edges
 - PROG05, random heights from a list
 - PROG05, with height values included
 - PROG06, randomly rotated squares
 - PROG06a, with random rotation and height list
 - PROG07, squares with set heights based on rotation
 - PROG08, polygons with set heights based on rotation
 - PROG08, overlapping triangles
 - PROG09, circles with random radius and height
 - PROG10, circles with random radius, height, and offsets
 - PROG11, positive and negative pattern
 - Sample of simple module constructions
 - PROG12a, four quarter module
 - PROG12j, three arcs
 - PROG12k, two random segments
- 6.2 Random Relief Patterns of 3-D Shapes
 - PROG01, pyramid panels constructed with lines
 - PROG01a, pyramid panels constructed with 3DFACES
 - PROG02, pyramid panels with random center
 - PROG03, pyramid panels with a circular path offset
 - PROG04, truncated pyramid panels
 - PROG05, truncated pyramid with random top offset
 - PROG06, truncated pyramid with random top dimension
- 6.3 Random Perforations
 - PROG01, simple perforations
 - PROG02, random sticks
 - PROG02a, random sticks trimmed
 - PROG02b, random sticks trimmed and framed
 - PROG02c, random sticks framed
 - PROG03, random circular rings
 - PROG03a, circular rings, increase randomness to center
 - PROG03b, circular rings, selective increase of randomness to center
 - PROG03c, circular rings, selective increase randomness to right edge
 - PROG04, polygonal rings, random triangles

- PROG04, polygonal rings, random rectangles
- PROG03b, circular rings, multilayered
- PROG05, circular rings on four layers
- PROG06, multiple random shapes
- PROG06a, selective multiple random shapes
- PROG06b, blocks to be placed randomly
- PROG06b, random blocks rotated
- PROG07, random circles filling the panel
- 6.4 Random surface constructions
 - PROG01, simple mesh with random heights
 - PROG02, mesh with set edge elevations at zero
 - PROG02a, mesh with a XY random offset included
 - PROG03, mesh with a bottom included
 - PROG04, mesh with vertical sides
 - PROG05, mesh with vertical sides and bottom
 - PROG06, mesh with increase randomness
 - PROG07, mesh with randomness by a mathematical function
 - PROG08, mesh with randomness varying a mathematical function
 - PROG09, mesh with a set edge height
 - PROG09a, mesh with a Y offset
 - PROG10, mesh using multiple mathematical functions
 - PROG11, 11a and 11b, vertical mesh, open, closed, and with a top and bottom
 - PROG12, random variation of radius offset
 - PROG13, vertical random variation of radius offset
 - PROG14, elliptical vertical random variation of radius offset
- 6.5 Random floor constructions
 - PROG01, development of random squares at floor edge
 - PROG01, completed random squares at floor edge
 - PROG01a, development of additional design constraints on floor edge
 - PROG01a, completed random squares at floor edge
 - PROG01b, addition of slab
 - PROG02, random polygons at edge
 - PROG03, random radius circles at floor edge
 - PROG03a, random radius circles at floor slab edge
 - PROG04, random sine curve for the front edge
 - PROG04a, random start and range for the sine curve
 - PROG04b, add floor slab
 - PROG04c, sequence of curves
 - PROG05 and PROG05a, elliptical and superelliptical floor edge
 - PROG06, elliptical series of random circles
 - PROG06a, elliptical series of random circles, varied heights
 - PROG07, random building masses along a rectangular edge
 - PROG07a, random building masses along an elliptical edge
 - PROG07b, random building masses with floor plans
 - PROG08, random building masses within a boundary
 - PROG08a, random building masses within a boundary trimmed

7.0 Constructions from Data

- 7.1 Constructions from Weather Data
 - Reading and writing data files
 - PROG01, reading weather data
 - PROG02b, January temperature mesh with edges and bottom
 - PROG02c, January temperature sections
 - PROG03, January temperature relief
 - PROG04, January temperature perforations
 - PROG04b, January wind direction and speed perforations
 - PROG05, 5a, and 5b, January temperature as a cylindrical mesh
 - PROG05c, January temperature as circular sections
 - PROG05d, January temperature presented vertically
 - PROG05e, January temperature presented vertically to scale
 - PROG06, January temperature presented in a radial pattern
 - PROG06a, January temperature presented in a radial pattern variable opening
 - PROG06b, January temperature presented in a radial pattern common center
 - PROG06c, January temperature presented in a elliptical pattern
 - PROG06d, January temperature in a radial pattern with edges and bottom
 - PROG07, January temperature as a spherical mesh
 - PROG07a, January temperature as a full spherical mesh
- 7.2 Constructions from Images
 - Image of Mies van der Rohe

PROG02, pixels as circles
PROG02a, pixels as filled circles
PROG02b, pixels as filled squares
PROG02c, pixels as rotated filled squares
PROG02d, pixels at fixed radius
Image of clouds
PROG03, clouds image as a relief
PROG03, inverted clouds image as a relief
PROG03a, inverted clouds image as a relief, using a list of heights
PROG04, clouds image as a mesh
PROG04a, clouds image as a mesh with sides and bottom
PROG05, clouds image as cylindrical meshes
PROG06, clouds image as a spherical mesh

Acknowledgments
Additional Reading